

Inspection Report

Report No.: XYSL-150613
Supplier : XY-GLOBAL

Inspection Date: 18th July, 2015
Inspector: Leo

| | |
|---|----------------------------|
| Inspection only for: PO : XYSL-150613 Item No. XY31XL011 | Inspection Result: PASS |
|---|----------------------------|

| Description | Finished Q'ty | Sample Size | Defect Found | Defects Description | Acceptable Q'ty |
|-------------|---------------|---------------|--------------|---------------------|-----------------|
| XY31XL011 | 8000PCS | 1% inspection | 0pcs | No failure | 8000pcs |

Appearance Inspection :

No failure,

Dimension Inspection:

No failure , below measurement report for reference.

Assembly Test:

No failure

Inspection Summary

The inspection sample plan is 100% inspection.

Digital photo records :



1. Packing



2. Product



3. Product



4 Product



5. Product:

| | | | | |
|---------|-------------|-------------|-------------|-------------|
| pocdmis | | 4000-01-100 | 1.0.0.0.0.0 | 0.0.0.0.0 |
| 1 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 2 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 3 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 4 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 5 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 6 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 7 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 8 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 9 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 10 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 11 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 12 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 13 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 14 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 15 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 16 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 17 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 18 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 19 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 20 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 21 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 22 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 23 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 24 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 25 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 26 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 27 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 28 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 29 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 30 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 31 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 32 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 33 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 34 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 35 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 36 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 37 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 38 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 39 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 40 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 41 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 42 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 43 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 44 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 45 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 46 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 47 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 48 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 49 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 50 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 51 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 52 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 53 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 54 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 55 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 56 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 57 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 58 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 59 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 60 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 61 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 62 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 63 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 64 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 65 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 66 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 67 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 68 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 69 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 70 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 71 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 72 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 73 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 74 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 75 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 76 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 77 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 78 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 79 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 80 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 81 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 82 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 83 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 84 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 85 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 86 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 87 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 88 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 89 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 90 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 91 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 92 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 93 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 94 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 95 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 96 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 97 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 98 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 99 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |
| 100 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 | 1.0.0.0.0.0 |

6. report

| | |
|---|--|
| Products | cnc precision machined parts factory,cnc machined parts distributor,precision machining parts manufacturer,precision cnc machining supplier,CNC Machining part,CNC Lathe Processing,CNC Turning Part,CNC turing parts |
| Materials | Aluminum AL6061 AL6065,AL6063 ,AL7075, SUS304,SUS303,SUS316,POM etc |
| Dimensions | According to customer's drawing |
| Surface treatment | Heat treatment, polishing, coating, galvanized, electroplating, spraying, and painting and so on |
| Packing | Wooden box, or as per the customer's requirements |
| Processing equipments | CNC machining center, grinding machine, milling machine parts, drilling machine parts, horizontal milling machine, chamfering machine, CNC cutting machine etc. |
| Measure equipment | Hardness tester, precision plug gauge, gauge block, digital outside micrometer, outside micrometer, digital caliper, inside micrometer, inside dial indicator, dial vernier caliper, dial indicator, depth vernier caliper and so on |
| MOQ | negotiable |
| Precision/Tolerance | +/-0.01mm |
| Payment | T/T 50% deposit in advance ,50% T/T before shipment ;or others. |
| Business scope | CNC center machining, cnc machining, cnc drilling, cnc turning, grinding, tapping, mould design and processing, casting, sheet metal working etc |
| Application | Automation machine, medical device, industrial machine, automobile, electric appliance, and other industries, cnc machining parts, auto parts |
| Ports | Shenzhen China |
| Delivery | 20-25 days after T/T 50% deposit |
| Main equipments | cnc machine center |
| 1.Name: Factory Price OEM cnc machining parts | |
| 2.Process: Aluminum die casting, cnc machining | |
| 3.Material: AL6061 AL6065,AL6063 ,AL7075 POM etc | |
| 4.Surface:Polishing, powder coated, anodized, nickle plating, chromate etc | |
| 5.Tolerance: can reach to +/-0.01mm | |
| 6.Quality control: 100% inspected | |
| 7.Specification: OEM serice, strictly per drawing and samples | |
| 8. Sample delivery time: 25-30 days, per products. | |
| 9. Application: cnc machining parts,mining accessories, machinery accessoried, industrial, auto parts,etc | |
| 10. Customer: USA,Canada, Austrial, EU etc. | |
| 11. Certification: ISO 9001 | |
| Our Advantage | |
| 1. 10 years experience with ISO certified | |
| 2. All kinds of material is available | |
| 3. All kindls of sureface finishment is available | |
| 4. High quality with competitive price | |
| 5. Fast delivery time | |
| 6. Sample available | |
| 7. Have export experience to all over the world | |
| Our Services | |
| CNC machining parts sample: Can supply for test | |
| CNC machining parts packing: Standard packing | |
| CNC machining parts certification: ISO9001 | |
| CNC machining parts quality: Strictly quality control | |
| CNC machining parts OEM is welcomed | |

Safety is our serious job for our worker and engineer team

