□□□A380□□□□□□□□□□□□□□

XY-GLOBAL **XY Electronics Technology Co., Ltd**

Inspection Report

Report No.: XYS-130711 **Inspection Date:**10th Aug, 2013
Supplier : **XY-GLOBAL** **Inspector:** Leo

Inspection only for:	Inspection Result:
PO . XYS-130711 Item No.XY-3519400	**PASS**

Description	Finished Q'ty	Sample Size	Defect Found	Defects Description	Acceptable Q'ty
XY-3519400	**4000PCS**	5% inspection	0pcs	No failure	4000pcs

Appearance Inspection :
No failure,
Dimension Inspection:
No failure , below measurement report for reference.
Assembly Test:
No failure
Inspection Summary
The inspection sample plan is 100% inspection.

Digital photo records :

1. Packing

2. Product

3. Product

4 Product

5. Product:

6. Product:

□□□□	□□□ □□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□OEM□□□□□□□□□□□ □□□
□□	□ ADC12□A380□
□□	□ □□□□□□
□□□□	□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□
□□	□ □□□□□□□□□□
□□□□	□□ □□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□
□□□□	□□ □□□□□□□□gague□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □
□□□□□□	□□
□□/□□	+/-0.01□□
□□	T / T 50□□□□□□□□50□T / T□□□□□□□□
□□□□	□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□
□□	□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□
□□	□□□□ □□
□□	20-25 □ T / T 50□□□□□□
□□□□	□□ □□□□□□
1.Name□ □□□□□□□□□□□□□	
2.Process□□□□□□□□□□	
□□□□□□□□□□ADC12□A380□	
4.□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□	
5.Tolerance□□□□□±0.01□□	
6.□□□□□□100□□□	
7.Specification□□□□serice□□□□□□□□□□	
8□□□□□□□□25-30□□□□□□□□	
9□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□accessoried□□□□□□□□	
10□□□□□□□□□□□□□□□□Austrial□□□□□□	
11 □□□□ISO 9001	
□□□□□□	
1□ 10□□□□□□ISO□□	
2□□□□□□□□	
3□□□□□□□□□□kindls□abailable	
4□□□□□□□□□□□□□□	
5□□□□□□□	
6□□□□□□	
7□□□□□□□□□□□□□□□	
□□□□□□	
□□□□□□□□□NBSP;□□□□□□□□□□□ □□	
□□□□□□□□□□□□□□□□□□	
□□□□□□□□□□□□ISO9001	
□□□□□□□□□□□□□□□□□□□□ □□	
□□□□□□□□□OEM□□□□	