

Inspection Report

Report No.: XYBA-140908
 Supplier : XY-GLOBAL

Inspection Date: 1st Oct-, 2014
 Inspector: LEO


Inspection only for: PO . XYBA-140908 Item No. XY21ZC005	Inspection Result: PASS
--	-----------------------------------


Description	Finished Q'ty	Sample Size	Defect Found	Defects Description	Acceptable Q'ty
XY21ZC005	500PCS	7% inspection	0pcs	No failure	500pcs

Appearance Inspection : No failure,
Dimension Inspection: No failure , below measurement report for reference.
Assembly Test: No failure
Inspection Summary The inspection sample plan is 100% inspection.

Digital photo records :

	
1. Packing	2. Product:

	
3. Product:	4. Product:

	<table border="1"> <tr> <td colspan="7">④ E.S. E:004-004</td> </tr> <tr> <td>M</td> <td>34515</td> <td>2.25</td> <td>0.25</td> <td>30.1</td> <td>30.1</td> <td>0.00</td> </tr> <tr> <td>A</td> <td>34503</td> <td>0.20</td> <td>0.20</td> <td>30.04</td> <td>30.00</td> <td>0.00</td> </tr> <tr> <td>T</td> <td>143.179</td> <td>0.20</td> <td>0.20</td> <td>143.179</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td>D</td> <td>2.00</td> <td>0.20</td> <td>0.20</td> <td>2.00</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td colspan="7">④ E.S. E:007-007</td> </tr> <tr> <td>M</td> <td>34515</td> <td>2.25</td> <td>0.25</td> <td>30.1</td> <td>30.1</td> <td>0.00</td> </tr> <tr> <td>A</td> <td>34503</td> <td>0.20</td> <td>0.20</td> <td>30.06</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td>T</td> <td>143.187</td> <td>0.20</td> <td>0.20</td> <td>143.187</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td>D</td> <td>2.00</td> <td>0.20</td> <td>0.20</td> <td>2.00</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td colspan="7">④ E.S. E:004-004</td> </tr> <tr> <td>M</td> <td>34515</td> <td>2.25</td> <td>0.25</td> <td>30.1</td> <td>30.1</td> <td>0.00</td> </tr> <tr> <td>A</td> <td>34503</td> <td>0.20</td> <td>0.20</td> <td>30.00</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td>T</td> <td>143.187</td> <td>0.20</td> <td>0.20</td> <td>143.187</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td>D</td> <td>2.00</td> <td>0.20</td> <td>0.20</td> <td>2.00</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td colspan="7">④ E.S. E:004-004</td> </tr> <tr> <td>M</td> <td>34515</td> <td>2.25</td> <td>0.25</td> <td>30.1</td> <td>30.1</td> <td>0.00</td> </tr> <tr> <td>A</td> <td>34503</td> <td>0.20</td> <td>0.20</td> <td>30.03</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td>T</td> <td>143.184</td> <td>0.20</td> <td>0.20</td> <td>143.184</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td>D</td> <td>2.00</td> <td>0.20</td> <td>0.20</td> <td>2.00</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td colspan="7">④ E.S. E:004-004</td> </tr> <tr> <td>M</td> <td>34515</td> <td>2.25</td> <td>0.25</td> <td>30.1</td> <td>30.1</td> <td>0.00</td> </tr> <tr> <td>A</td> <td>143.819</td> <td>0.20</td> <td>0.20</td> <td>143.819</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td>T</td> <td>143.819</td> <td>0.20</td> <td>0.20</td> <td>143.819</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td>D</td> <td>2.00</td> <td>0.20</td> <td>0.20</td> <td>2.00</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td colspan="7">④ E.S. E:004-004</td> </tr> <tr> <td>M</td> <td>34515</td> <td>2.25</td> <td>0.25</td> <td>30.1</td> <td>30.1</td> <td>0.00</td> </tr> <tr> <td>A</td> <td>143.819</td> <td>0.20</td> <td>0.20</td> <td>143.819</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td>T</td> <td>143.819</td> <td>0.20</td> <td>0.20</td> <td>143.819</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td>D</td> <td>2.00</td> <td>0.20</td> <td>0.20</td> <td>2.00</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td colspan="7">④ E.S. E:004-004</td> </tr> <tr> <td>M</td> <td>34515</td> <td>2.25</td> <td>0.25</td> <td>30.1</td> <td>30.1</td> <td>0.00</td> </tr> <tr> <td>A</td> <td>143.819</td> <td>0.20</td> <td>0.20</td> <td>143.819</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td>T</td> <td>143.819</td> <td>0.20</td> <td>0.20</td> <td>143.819</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td>D</td> <td>2.00</td> <td>0.20</td> <td>0.20</td> <td>2.00</td> <td>0.00</td> <td>0.00</td> </tr> </table>	④ E.S. E:004-004							M	34515	2.25	0.25	30.1	30.1	0.00	A	34503	0.20	0.20	30.04	30.00	0.00	T	143.179	0.20	0.20	143.179	0.00	0.00	D	2.00	0.20	0.20	2.00	0.00	0.00	④ E.S. E:007-007							M	34515	2.25	0.25	30.1	30.1	0.00	A	34503	0.20	0.20	30.06	0.00	0.00	T	143.187	0.20	0.20	143.187	0.00	0.00	D	2.00	0.20	0.20	2.00	0.00	0.00	④ E.S. E:004-004							M	34515	2.25	0.25	30.1	30.1	0.00	A	34503	0.20	0.20	30.00	0.00	0.00	T	143.187	0.20	0.20	143.187	0.00	0.00	D	2.00	0.20	0.20	2.00	0.00	0.00	④ E.S. E:004-004							M	34515	2.25	0.25	30.1	30.1	0.00	A	34503	0.20	0.20	30.03	0.00	0.00	T	143.184	0.20	0.20	143.184	0.00	0.00	D	2.00	0.20	0.20	2.00	0.00	0.00	④ E.S. E:004-004							M	34515	2.25	0.25	30.1	30.1	0.00	A	143.819	0.20	0.20	143.819	0.00	0.00	T	143.819	0.20	0.20	143.819	0.00	0.00	D	2.00	0.20	0.20	2.00	0.00	0.00	④ E.S. E:004-004							M	34515	2.25	0.25	30.1	30.1	0.00	A	143.819	0.20	0.20	143.819	0.00	0.00	T	143.819	0.20	0.20	143.819	0.00	0.00	D	2.00	0.20	0.20	2.00	0.00	0.00	④ E.S. E:004-004							M	34515	2.25	0.25	30.1	30.1	0.00	A	143.819	0.20	0.20	143.819	0.00	0.00	T	143.819	0.20	0.20	143.819	0.00	0.00	D	2.00	0.20	0.20	2.00	0.00	0.00
④ E.S. E:004-004																																																																																																																																																																																																																																																						
M	34515	2.25	0.25	30.1	30.1	0.00																																																																																																																																																																																																																																																
A	34503	0.20	0.20	30.04	30.00	0.00																																																																																																																																																																																																																																																
T	143.179	0.20	0.20	143.179	0.00	0.00																																																																																																																																																																																																																																																
D	2.00	0.20	0.20	2.00	0.00	0.00																																																																																																																																																																																																																																																
④ E.S. E:007-007																																																																																																																																																																																																																																																						
M	34515	2.25	0.25	30.1	30.1	0.00																																																																																																																																																																																																																																																
A	34503	0.20	0.20	30.06	0.00	0.00																																																																																																																																																																																																																																																
T	143.187	0.20	0.20	143.187	0.00	0.00																																																																																																																																																																																																																																																
D	2.00	0.20	0.20	2.00	0.00	0.00																																																																																																																																																																																																																																																
④ E.S. E:004-004																																																																																																																																																																																																																																																						
M	34515	2.25	0.25	30.1	30.1	0.00																																																																																																																																																																																																																																																
A	34503	0.20	0.20	30.00	0.00	0.00																																																																																																																																																																																																																																																
T	143.187	0.20	0.20	143.187	0.00	0.00																																																																																																																																																																																																																																																
D	2.00	0.20	0.20	2.00	0.00	0.00																																																																																																																																																																																																																																																
④ E.S. E:004-004																																																																																																																																																																																																																																																						
M	34515	2.25	0.25	30.1	30.1	0.00																																																																																																																																																																																																																																																
A	34503	0.20	0.20	30.03	0.00	0.00																																																																																																																																																																																																																																																
T	143.184	0.20	0.20	143.184	0.00	0.00																																																																																																																																																																																																																																																
D	2.00	0.20	0.20	2.00	0.00	0.00																																																																																																																																																																																																																																																
④ E.S. E:004-004																																																																																																																																																																																																																																																						
M	34515	2.25	0.25	30.1	30.1	0.00																																																																																																																																																																																																																																																
A	143.819	0.20	0.20	143.819	0.00	0.00																																																																																																																																																																																																																																																
T	143.819	0.20	0.20	143.819	0.00	0.00																																																																																																																																																																																																																																																
D	2.00	0.20	0.20	2.00	0.00	0.00																																																																																																																																																																																																																																																
④ E.S. E:004-004																																																																																																																																																																																																																																																						
M	34515	2.25	0.25	30.1	30.1	0.00																																																																																																																																																																																																																																																
A	143.819	0.20	0.20	143.819	0.00	0.00																																																																																																																																																																																																																																																
T	143.819	0.20	0.20	143.819	0.00	0.00																																																																																																																																																																																																																																																
D	2.00	0.20	0.20	2.00	0.00	0.00																																																																																																																																																																																																																																																
④ E.S. E:004-004																																																																																																																																																																																																																																																						
M	34515	2.25	0.25	30.1	30.1	0.00																																																																																																																																																																																																																																																
A	143.819	0.20	0.20	143.819	0.00	0.00																																																																																																																																																																																																																																																
T	143.819	0.20	0.20	143.819	0.00	0.00																																																																																																																																																																																																																																																
D	2.00	0.20	0.20	2.00	0.00	0.00																																																																																																																																																																																																																																																
5. Product :	6. Inspection report:																																																																																																																																																																																																																																																					

