

Inspection Report

Report No.: XYSL-150607
Supplier : XY-GLOBAL

Inspection Date: 10th July, 2015
Inspector: Leo

Inspection only for: PO : XYSL-150607 Item No. XY31XL005	Inspection Result: PASS
--	----------------------------

Description	Finished Q'ty	Sample Size	Defect Found	Defects Description	Acceptable Q'ty
XY31XL005	32000PCS	1% inspection	0pcs	No failure	32000pcs

Appearance Inspection :

No failure,

Dimension Inspection:

No failure , below measurement report for reference.

Assembly Test:

No failure

Inspection Summary

The inspection sample plan is 100% inspection.

Digital photo records :



1. Packing



2. Product



3. Product



4 Product



5. Product:

pocdmis									
MEASURED DATA									
NO.	ITEM	UNIT	MEASUREMENT	MIN	MAX	TOLERANCE	STATUS	REMARK	DATE
1	1.0	mm	10.00	9.95	10.05	±0.05	PASS		
2	2.0	mm	10.00	9.95	10.05	±0.05	PASS		
3	3.0	mm	10.00	9.95	10.05	±0.05	PASS		
4	4.0	mm	10.00	9.95	10.05	±0.05	PASS		
5	5.0	mm	10.00	9.95	10.05	±0.05	PASS		
6	6.0	mm	10.00	9.95	10.05	±0.05	PASS		
7	7.0	mm	10.00	9.95	10.05	±0.05	PASS		
8	8.0	mm	10.00	9.95	10.05	±0.05	PASS		
9	9.0	mm	10.00	9.95	10.05	±0.05	PASS		
10	10.0	mm	10.00	9.95	10.05	±0.05	PASS		
11	11.0	mm	10.00	9.95	10.05	±0.05	PASS		
12	12.0	mm	10.00	9.95	10.05	±0.05	PASS		
13	13.0	mm	10.00	9.95	10.05	±0.05	PASS		
14	14.0	mm	10.00	9.95	10.05	±0.05	PASS		
15	15.0	mm	10.00	9.95	10.05	±0.05	PASS		
16	16.0	mm	10.00	9.95	10.05	±0.05	PASS		
17	17.0	mm	10.00	9.95	10.05	±0.05	PASS		
18	18.0	mm	10.00	9.95	10.05	±0.05	PASS		
19	19.0	mm	10.00	9.95	10.05	±0.05	PASS		
20	20.0	mm	10.00	9.95	10.05	±0.05	PASS		
21	21.0	mm	10.00	9.95	10.05	±0.05	PASS		
22	22.0	mm	10.00	9.95	10.05	±0.05	PASS		
23	23.0	mm	10.00	9.95	10.05	±0.05	PASS		
24	24.0	mm	10.00	9.95	10.05	±0.05	PASS		
25	25.0	mm	10.00	9.95	10.05	±0.05	PASS		
26	26.0	mm	10.00	9.95	10.05	±0.05	PASS		
27	27.0	mm	10.00	9.95	10.05	±0.05	PASS		
28	28.0	mm	10.00	9.95	10.05	±0.05	PASS		
29	29.0	mm	10.00	9.95	10.05	±0.05	PASS		
30	30.0	mm	10.00	9.95	10.05	±0.05	PASS		
31	31.0	mm	10.00	9.95	10.05	±0.05	PASS		
32	32.0	mm	10.00	9.95	10.05	±0.05	PASS		
33	33.0	mm	10.00	9.95	10.05	±0.05	PASS		
34	34.0	mm	10.00	9.95	10.05	±0.05	PASS		
35	35.0	mm	10.00	9.95	10.05	±0.05	PASS		
36	36.0	mm	10.00	9.95	10.05	±0.05	PASS		
37	37.0	mm	10.00	9.95	10.05	±0.05	PASS		
38	38.0	mm	10.00	9.95	10.05	±0.05	PASS		
39	39.0	mm	10.00	9.95	10.05	±0.05	PASS		
40	40.0	mm	10.00	9.95	10.05	±0.05	PASS		
41	41.0	mm	10.00	9.95	10.05	±0.05	PASS		
42	42.0	mm	10.00	9.95	10.05	±0.05	PASS		
43	43.0	mm	10.00	9.95	10.05	±0.05	PASS		
44	44.0	mm	10.00	9.95	10.05	±0.05	PASS		
45	45.0	mm	10.00	9.95	10.05	±0.05	PASS		
46	46.0	mm	10.00	9.95	10.05	±0.05	PASS		
47	47.0	mm	10.00	9.95	10.05	±0.05	PASS		
48	48.0	mm	10.00	9.95	10.05	±0.05	PASS		
49	49.0	mm	10.00	9.95	10.05	±0.05	PASS		
50	50.0	mm	10.00	9.95	10.05	±0.05	PASS		
51	51.0	mm	10.00	9.95	10.05	±0.05	PASS		
52	52.0	mm	10.00	9.95	10.05	±0.05	PASS		
53	53.0	mm	10.00	9.95	10.05	±0.05	PASS		
54	54.0	mm	10.00	9.95	10.05	±0.05	PASS		
55	55.0	mm	10.00	9.95	10.05	±0.05	PASS		
56	56.0	mm	10.00	9.95	10.05	±0.05	PASS		
57	57.0	mm	10.00	9.95	10.05	±0.05	PASS		
58	58.0	mm	10.00	9.95	10.05	±0.05	PASS		
59	59.0	mm	10.00	9.95	10.05	±0.05	PASS		
60	60.0	mm	10.00	9.95	10.05	±0.05	PASS		
61	61.0	mm	10.00	9.95	10.05	±0.05	PASS		
62	62.0	mm	10.00	9.95	10.05	±0.05	PASS		
63	63.0	mm	10.00	9.95	10.05	±0.05	PASS		
64	64.0	mm	10.00	9.95	10.05	±0.05	PASS		
65	65.0	mm	10.00	9.95	10.05	±0.05	PASS		
66	66.0	mm	10.00	9.95	10.05	±0.05	PASS		
67	67.0	mm	10.00	9.95	10.05	±0.05	PASS		
68	68.0	mm	10.00	9.95	10.05	±0.05	PASS		
69	69.0	mm	10.00	9.95	10.05	±0.05	PASS		
70	70.0	mm	10.00	9.95	10.05	±0.05	PASS		
71	71.0	mm	10.00	9.95	10.05	±0.05	PASS		
72	72.0	mm	10.00	9.95	10.05	±0.05	PASS		
73	73.0	mm	10.00	9.95	10.05	±0.05	PASS		
74	74.0	mm	10.00	9.95	10.05	±0.05	PASS		
75	75.0	mm	10.00	9.95	10.05	±0.05	PASS		
76	76.0	mm	10.00	9.95	10.05	±0.05	PASS		
77	77.0	mm	10.00	9.95	10.05	±0.05	PASS		
78	78.0	mm	10.00	9.95	10.05	±0.05	PASS		
79	79.0	mm	10.00	9.95	10.05	±0.05	PASS		
80	80.0	mm	10.00	9.95	10.05	±0.05	PASS		
81	81.0	mm	10.00	9.95	10.05	±0.05	PASS		
82	82.0	mm	10.00	9.95	10.05	±0.05	PASS		
83	83.0	mm	10.00	9.95	10.05	±0.05	PASS		
84	84.0	mm	10.00	9.95	10.05	±0.05	PASS		
85	85.0	mm	10.00	9.95	10.05	±0.05	PASS		
86	86.0	mm	10.00	9.95	10.05	±0.05	PASS		
87	87.0	mm	10.00	9.95	10.05	±0.05	PASS		
88	88.0	mm	10.00	9.95	10.05	±0.05	PASS		
89	89.0	mm	10.00	9.95	10.05	±0.05	PASS		
90	90.0	mm	10.00	9.95	10.05	±0.05	PASS		
91	91.0	mm	10.00	9.95	10.05	±0.05	PASS		
92	92.0	mm	10.00	9.95	10.05	±0.05	PASS		
93	93.0	mm	10.00	9.95	10.05	±0.05	PASS		
94	94.0	mm	10.00	9.95	10.05	±0.05	PASS		
95	95.0	mm	10.00	9.95	10.05	±0.05	PASS		
96	96.0	mm	10.00	9.95	10.05	±0.05	PASS		
97	97.0	mm	10.00	9.95	10.05	±0.05	PASS		
98	98.0	mm	10.00	9.95	10.05	±0.05	PASS		
99	99.0	mm	10.00	9.95	10.05	±0.05	PASS		
100	100.0	mm	10.00	9.95	10.05	±0.05	PASS		

6. report

Products	cnc precision machined parts factory,cnc machined parts distributor,precision machining parts manufacturer,precision cnc machining supplier,CNC Machining part,CNC Lathe Processing,CNC Turning Part,CNC turing parts
Materials	Aluminum AL6061 AL6065,AL6063 ,AL7075, SUS304,SUS303,SUS316,POM etc
Dimensions	According to customer's drawing
Surface treatment	Heat treatment, polishing, coating, galvanized, electroplating, spraying, and painting and so on
Packing	Wooden box, or as per the customer's requirements
Processing equipments	CNC machining center, grinding machine, milling machine parts, drilling machine parts, horizontal milling machine, chamfering machine, CNC cutting machine etc.
Measure equipment	Hardness tester, precision plug gauge, gauge block, digital outside micrometer, outside micrometer, digital caliper, inside micrometer, inside dial indicator, dial vernier caliper, dial indicator, depth vernier caliper and so on
MOQ	negotiable
Precision/Tolerance	+/-0.01mm
Payment	T/T 50% deposit in advance ,50% T/T before shipment ;or others.
Business scope	CNC center machining, cnc machining, cnc drilling, cnc turning, grinding, tapping, mould design and processing, casting, sheet metal working etc
Application	Automation machine, medical device, industrial machine, automobile, electric appliance, and other industries, cnc machining parts, auto parts
Ports	Shenzhen China
Delivery	20-25 days after T/T 50% deposit
Main equipments	cnc machine center
1.Name: Factory Price OEM cnc machining parts	
2.Process: Aluminum die casting, cnc machining	
3.Material: AL6061 AL6065,AL6063 ,AL7075 POM etc	
4.Surface:Polishing, powder coated, anodized, nickle plating, chromate etc	
5.Tolerance: can reach to +/-0.01mm	
6.Quality control: 100% inspected	
7.Specification: OEM serice, strictly per drawing and samples	
8. Sample delivery time: 25-30 days, per products.	
9. Application: cnc machining parts,mining accessories, machinery accessoried, industrial, auto parts,etc	
10. Customer: USA,Canada, Austrial, EU etc.	
11. Certification: ISO 9001	
Our Advantage	
1. 10 years experience with ISO certified	
2. All kinds of material is available	
3. All kinds of sureface finishment is available	
4. High quality with competitive price	
5. Fast delivery time	
6. Sample available	
7. Have export experience to all over the world	
Our Services	
CNC machining parts sample: Can supply for test	
CNC machining parts packing: Standard packing	
CNC machining parts certification: ISO9001	
CNC machining parts quality: Strictly quality control	

Safety is our serious job for our worker and engineer team

