

Inspection Report

Report No.: XYG-150311
 Supplier : XY-GLOBAL

Inspection Date: 18th Apr, 2015
 Inspector: Leo

Inspection only for: PO . XYG-150311 Item No. XY11WD051	Inspection Result: PASS
--	-----------------------------------

Description	Finished Q'ty	Sample Size	Defect Found	Defects Description	Acceptable Q'ty
XY11WD051	13000PCS	1% inspection	0pcs	No failure	13000pcs

Appearance Inspection :
No failure,
Dimension Inspection:
No failure , below measurement report for reference.
Assembly Test:
No failure
Inspection Summary
The inspection sample plan is 100% inspection.

Digital photo records :																																																																					
																																																																					
1. Packing	2. Product																																																																				
																																																																					
3. Product	4 Product																																																																				
	<table border="1"> <thead> <tr> <th colspan="2">400-01-108</th> <th colspan="2">1 of 1</th> </tr> <tr> <th>U.S.</th> <th>U.S.</th> <th>U.S.</th> <th>U.S.</th> </tr> </thead> <tbody> <tr> <td>41,204</td> <td>0.000</td> <td>0.000</td> <td>41,204</td> </tr> <tr> <td>175,412</td> <td>0.000</td> <td>0.000</td> <td>175,412</td> </tr> <tr> <td>2,547</td> <td>0.000</td> <td>0.000</td> <td>2,547</td> </tr> <tr> <td>41,204</td> <td>0.000</td> <td>0.000</td> <td>41,204</td> </tr> <tr> <td>175,412</td> <td>0.000</td> <td>0.000</td> <td>175,412</td> </tr> <tr> <td>2,547</td> <td>0.000</td> <td>0.000</td> <td>2,547</td> </tr> <tr> <td>41,204</td> <td>0.000</td> <td>0.000</td> <td>41,204</td> </tr> <tr> <td>175,412</td> <td>0.000</td> <td>0.000</td> <td>175,412</td> </tr> <tr> <td>2,547</td> <td>0.000</td> <td>0.000</td> <td>2,547</td> </tr> <tr> <td>41,204</td> <td>0.000</td> <td>0.000</td> <td>41,204</td> </tr> <tr> <td>175,412</td> <td>0.000</td> <td>0.000</td> <td>175,412</td> </tr> <tr> <td>2,547</td> <td>0.000</td> <td>0.000</td> <td>2,547</td> </tr> <tr> <td>41,204</td> <td>0.000</td> <td>0.000</td> <td>41,204</td> </tr> <tr> <td>175,412</td> <td>0.000</td> <td>0.000</td> <td>175,412</td> </tr> <tr> <td>2,547</td> <td>0.000</td> <td>0.000</td> <td>2,547</td> </tr> </tbody> </table>	400-01-108		1 of 1		U.S.	U.S.	U.S.	U.S.	41,204	0.000	0.000	41,204	175,412	0.000	0.000	175,412	2,547	0.000	0.000	2,547	41,204	0.000	0.000	41,204	175,412	0.000	0.000	175,412	2,547	0.000	0.000	2,547	41,204	0.000	0.000	41,204	175,412	0.000	0.000	175,412	2,547	0.000	0.000	2,547	41,204	0.000	0.000	41,204	175,412	0.000	0.000	175,412	2,547	0.000	0.000	2,547	41,204	0.000	0.000	41,204	175,412	0.000	0.000	175,412	2,547	0.000	0.000	2,547
400-01-108		1 of 1																																																																			
U.S.	U.S.	U.S.	U.S.																																																																		
41,204	0.000	0.000	41,204																																																																		
175,412	0.000	0.000	175,412																																																																		
2,547	0.000	0.000	2,547																																																																		
41,204	0.000	0.000	41,204																																																																		
175,412	0.000	0.000	175,412																																																																		
2,547	0.000	0.000	2,547																																																																		
41,204	0.000	0.000	41,204																																																																		
175,412	0.000	0.000	175,412																																																																		
2,547	0.000	0.000	2,547																																																																		
41,204	0.000	0.000	41,204																																																																		
175,412	0.000	0.000	175,412																																																																		
2,547	0.000	0.000	2,547																																																																		
41,204	0.000	0.000	41,204																																																																		
175,412	0.000	0.000	175,412																																																																		
2,547	0.000	0.000	2,547																																																																		
5. Product:	6. Report:																																																																				

Products	zinc die casting manufacturer,aluminum cast manufactory ,metal castings supplier ,zinc alloy die casting part,oem carbon steel die casting part,aluminium die casting parts
Materials	Aluminum ADC12, A380 etc
Dimensions	According to customer's drawing
Surface treatment	Heat treatment, polishing, powder coating, galvanized, electroplating, spraying, and painting and so on
Packing	Wooden box, or as per the customer's requirements
Processing equipments	CNC machining center, grinding machine, milling machine, drilling machine, horizontal milling machine, chamfering machine, CNC cutting machine etc.
Measure equipment	Hardness tester, precision plug gague, gauge block, digital outside micrometer, outside micrometer, digital caliper, inside micrometer, inside dial indicator, dial vernier caliper, dial indicator, depth vernier caliper and so on
MOQ	negotiable
Precision/Tolerance	+/-0.01mm
Payment	T/T 50% deposit in advance ,50% T/T before shipment ;or others.
Business scope	CNC center machining, aluminum cast manufactory, cnc turning, grinding, tapping, mould design and processing, casting, sheet mental working etc
Application	Automation machine, medical device, industrial machine, automobile, electric appliance, and other industries, aluminum die casting parts, auto parts
Ports	ShenZhen China
Delivery	20-25 days after T/T 50% deposit
Main equipments	metal castings supplier
1.Name: Factory Price OEM aluminum die casting parts	
2.Process: Aluminum die casting, cnc machining	
3.Material: Aluminum ADC12, A380 etc	
4.Surface:Polishing, powder coated, anodized, nickle plating, chromate etc	
5.Tolerance: can reach to +/-0.01mm	
6.Quality control: 100% inspected	
7.Specification: OEM serice, strictly per drawing and samples	
8. Sample delivery time: 25-30 days, per products.	
9. Application: aluminum die casting parts,mining accessories, machinery accessoried, auto parts etc.	
10. Customer: USA,Canada, Austrial, EU etc.	
11. Certification: ISO 9001	
Our Advantage	
1. 10 years experience with ISO certified	
2. All kinds of material is available	
3. All kinds of sureface finishment is aailable	
4. High quality with competitive price	
5. Fast delivery time	
6. Sample available	
7. Have export experience to all over the world	
Our Services	
Aluminum die casting parts sample: Can supply for test	
Aluminum die casting parts packing: Standard packing	
Aluminum die casting parts certification: ISO9001	
Aluminum die casting parts quality: Strictly quality control	
Aluminum die casting parts OEM is welcomed	

Customer's Feedback



Dear Ivy,

I am very satisfied with Scott and I feel it's a great cooperation between XY Global and GST. I hope we can continue in such a perfect way in future.

Yours sincerely

Nicole Holtschke
Einkauf / Purchasing

01
OPTION



Hi Ivy,

Thanks for your email.

Jack is providing me with excellent service and I have been very happy with what you produce.

We hope to work long term with you also but my business partner has asked for other quotes before we make the next batch of products.

Still waiting to get them all back. Thank you!

Regards,
Scott James | Director

02
OPTION



Dear Ivy,

I am happy and no problem dealing with Scott, hope will keep good cooperation and relationship with your esteemed company.

Thanks
Regards
Siao

03
OPTION



Hello Ivy,

Naky has always been very responsive and met our requirements well.

I have no problem doing business with XY-Global.

Kind Regards
Keith



04
OPTION



Dear Ivy,

thank you for reaching out.
we are happy to work with nancy and looking forward to a long term cooperation.

best,

Sigmar Berg

05
OPTION